


Section 1 – Identification

- 1(a) Product Identifier used on Label:** Tin Scrap
- 1(b) Other means of identification:** Tin Scrap Products (All Grades), SDS ID: NFE-0106
- 1(c) Recommended use of the chemical and restrictions on use:** Scrap metal use. None Known
- 1(d) Name, address, and telephone number:**
 OMNISOURCE Corporation Phone: (800) 666-4789 (Safety Department)
 7575 West Jefferson Blvd
 Fort Wayne, Indiana 46804
- 1(e) Emergency Phone Number:** (800) 424-9300 (CCN# 221258) CHEMTREC

Section 2 – Hazard(s) Identification

2(a) Classification of the chemical: Tin Scrap is considered an article under Reach regulation (REACH REGULATION (EC) No 1907/2006) and is not subject to classification under CLP regulation (REGULATION (EC) No 1272/2008). However, Tin Scrap is not exempt as an article under OSHA's Hazard Communication Standard (29 CFR 1910.1200) due to its downstream use, thus this product is considered a mixture and a hazardous material. Therefore, the categories of Health Hazards as defined in "GLOBALLY HARMONIZED SYSTEM OF CLASSIFICATION AND LABELING OF CHEMICALS (GHS), Third revised edition ST/SG/AC.10/30/Rev. 3" United Nations, New York and Geneva, 2009 have been evaluated. Refer to Section 3, 8 and 11 for additional information.

2(b) Signal word, hazard statement(s), symbols and precautionary statement(s):

Hazard Symbol	Hazard Classification	Signal Word	Hazard Statement(s)
	Carcinogenicity - 1A Reproductive Toxicity - 1A Germ Cell Mutagenicity - 2 Single Target Organ Toxicity (STOT) Repeat Exposure - 1	DANGER	May cause cancer. May damage fertility or the unborn child. Suspected of causing genetic defects. Causes damage to lungs and central nervous system through prolonged or repeated inhalation exposure.

Precautionary Statement(s):

Prevention	Response	Storage/Disposal
Do not breathe dusts or fumes. Wear protective gloves / protective clothing / eye protection / face protection. Wash thoroughly after handling. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product.	If exposed, concerned or feel unwell: Get medical advice/attention.	Dispose of contents in accordance with federal, state and local regulations.

- 2(c) Hazards not otherwise classified:** None Known
- 2(d) Unknown acute toxicity statement (mixture):** None Known

Section 3 – Composition/Information on Ingredients

3(a-c) Chemical name, common name (synonyms), CAS number and other identifiers, and concentration:

Chemical Name	CAS Number	EC Number	% weight
Tin	7440-31-5	231-141-8	>60
Lead	7439-92-1	231-100-4	<40
Antimony	7440-36-0	231-146-5	<16
Copper	7440-50-8	231-159-6	<9
Silver	7440-22-4	231-131-3	<5
Arsenic	7440-38-2	231-148-6	<1
Cadmium	7440-43-9	231-152-8	<1

EC - European Community
 CAS - Chemical Abstract Service

Section 4 – First-aid Measures

- 4(a) Description of necessary measures:** If exposed, concerned or feel unwell: Get medical advice/attention.
- **Inhalation: Tin Scrap** as sold/shipped is not a likely form of exposure.
 - **Eye Contact: Tin Scrap** as sold/shipped is not a likely form of exposure.
 - **Skin Contact: Tin Scrap** as sold/shipped is not a likely form of exposure.
 - **Ingestion: Tin Scrap** as sold/shipped is not a likely form of exposure.

Section 4 – First-aid Measures (continued)

4(b) Most important symptoms/effects, acute and delayed (chronic):

- **Inhalation: Tin Scrap** as sold/shipped is not likely to present an acute or chronic health effect.
- **Eye: Tin Scrap** as sold/shipped is not likely to present an acute or chronic health effect.
- **Skin: Tin Scrap** as sold/shipped is not likely to present an acute or chronic health effect.
- **Ingestion: Tin Scrap** as sold/shipped is not likely to present an acute or chronic health effect.

However, during further processing (welding, grinding, burning, etc.) individual components may illicit an acute or chronic health effect. Refer to Section 11-Toxicological Information.

4(c) Immediate Medical Attention and Special Treatment: None Known

Section 5 – Fire-fighting Measures

5(a) Suitable (and unsuitable) Extinguishing Media: Not Applicable for **Tin Scrap** as sold/shipped. Use extinguishers appropriate for surrounding materials.

5(b) Specific Hazards arising from the chemical: Not Applicable for **Tin Scrap** as sold/shipped. When burned, toxic smoke, fume and vapor may be emitted.

5(c) Special protective equipment and precautions for fire-fighters: Self-contained NIOSH approved respiratory protection and full protective clothing should be worn when fumes and/or smoke from fire are present. Heat and flames cause emittance of acrid smoke and fumes. Do not release runoff from fire control methods to sewers or waterways. Firefighters should wear full face-piece self-contained breathing apparatus and chemical protective clothing with thermal protection. Direct water stream will scatter and spread flames and, therefore, should not be used.

Section 6 - Accidental Release Measures

6(a) Personal Precautions, Protective Equipment and Emergency Procedures: Not Applicable for **Tin Scrap** as sold/shipped. For spills involving finely divided particles, clean-up personnel should be protected against contact with eyes and skin. If material is in a dry state, avoid inhalation of dust.

6(b) Methods and materials for containment and clean up: Not Applicable for **Tin Scrap** as sold/shipped. Collect material in appropriate, labeled containers for recovery or disposal in accordance with federal, state, and local regulations. Follow applicable OSHA regulations (29 CFR 1910.120) and all other pertinent state and federal requirements.

Section 7 - Handling and Storage

7(a) Precautions for safe handling: Not Applicable for **Tin Scrap** as sold/shipped, however further processing (welding, burning, grinding, etc.) with the potential for generating high concentrations of airborne particulates should be evaluated and controlled as necessary. Wear protective gloves / protective clothing / eye protection / face protection. Wash thoroughly after handling. In case of inadequate ventilation, wear respiratory protection. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Practice good housekeeping. Do not breathe breathing metal fumes and/or dust. Do not eat, drink or smoke when using this product. Cut resistant gloves and sleeves should be worn when working with steel products.

7(b) Conditions for safe storage, including any incompatibilities: Store away from acids and incompatible materials.

Section 8 - Exposure Controls / Personal Protection

8(a) Occupational Exposure Limits (OELs): **Tin Scrap** as sold/shipped in its physical form does not present an inhalation, ingestion or contact hazard, nor would any of the following exposure data apply. However, operations such as burning, welding (high temperature), sawing, brazing, machining, grinding, etc may produce fumes and/or particulates. The following exposure limits are offered as reference for an experienced industrial hygienist to review:

Ingredients	OSHA PEL ¹	ACGIH TLV ²	NIOSH REL ³	IDLH ⁴
Tin	2.0 mg/m ³ (as inorganic compounds, Sn)	2.0 mg/m ³ (as metal and inorganic compounds, Sn)	2.0 mg/m ³ (also applies to other inorganic tin compounds, as Sn except tin oxides)	100 mg/m ³ (as Sn)
Lead	0.05 mg/m ³ ⁵ “AL” 0.03 mg/m ³	0.05 mg/m ³	0.05 mg/m ³ ⁶	100 mg/m ³
Antimony	0.5 mg/m ³	0.5 mg/m ³	0.5 mg/m ³	50 mg/m ³ (as Sb)
Copper	0.1 mg/m ³ (as fume, Cu) 1.0 mg/m ³ (as dusts & mists, Cu)	0.1 mg/m ³ (as fume) 1.0 mg/m ³ (as dusts & mists, Cu)	1.0 mg/m ³ (as dusts & mists)	100 mg Cu/m ³
Silver	0.01 mg/m ³	0.1 mg/m ³ (dust or fume)	0.01 mg/m ³	10 mg/m ³
Arsenic	0.01 mg/m ³ (inorganic compounds) “AL” 5 µg/m ³	0.01 mg/m ³	0.002 mg/m ³ (15-minute)	5 mg/m ³
Cadmium	0.005 mg/m ³	0.01 mg/m ³ (as total Ca dust) 0.002 mg/m ³ (as respirable Ca dust)	LFC ⁷ (as Ca)	9 mg/m ³

NE - None Established

Section 8 - Exposure Controls / Personal Protection (continued)

8(a) Occupational Exposure Limits (OELs) (continued):

1. OSHA Permissible Exposure Limits (PELs) are 8-hour TWA (time-weighted average) concentrations unless otherwise noted. A (C) designation denotes a ceiling limit, which should not be exceeded during any part of the working exposure unless otherwise noted. A Peak is defined as the acceptable maximum peak for a maximum duration above the ceiling concentration for an eight-hour shift. A skin notation refers to the potential significant contribution to the overall exposure by the cutaneous route, either by contact with vapors or, of probable greater significance, by direct skin contact with the substance. A Short Term Exposure Limit (STEL) is defined as a 15-minute exposure, which should not be exceeded at any time during a workday. An Action level (AL) is used by OSHA and NIOSH to express a health or physical hazard. They indicate the level of a harmful or toxic substance/activity, which requires medical surveillance, increased industrial hygiene monitoring, or biological monitoring. Action Levels are generally set at one half of the PEL but the actual level may vary from standard to standard. The intent is to identify a level at which the vast majority of randomly sampled exposures will be below the PEL.
2. Threshold Limit Values (TLV) established by the American Conference of Governmental Industrial Hygienists (ACGIH) are 8-hour TWA concentrations unless otherwise noted. A Short Term Exposure Limit (STEL) is defined as the maximum concentration to which workers can be exposed for a short period of time (15 minutes) for only four times throughout the day with at least one hour between exposures. A "skin" notation refers to the potential significant contribution to the overall exposure by the cutaneous route, either by contact with vapors or, of probable greater significance, by direct skin contact with the substance. ACGIH-TLVs are only recommended guidelines based upon consensus agreement of the membership of the ACGIH. As such, the ACGIH TLVs are for guideline use purposes and are not legal regulatory standards for compliance purposes. The TLVs are designed for use by individuals trained in the discipline of industrial hygiene relative to the evaluation of exposure to various chemical or biological substances and physical agents that may be found in the workplace.
3. The National Institute for Occupational Safety and Health Recommended Exposure Limits (NIOSH-REL) - Compendium of Policy and Statements. NIOSH, Cincinnati, OH (1992). NIOSH is the federal agency designated to conduct research relative to occupational safety and health. As is the case with ACGIH TLVs, NIOSH RELs are for guideline purposes only and as such are not legal, regulatory limits for compliance purposes.
4. The "immediately dangerous to life or health air concentration values (IDLHs)" are used by NIOSH as part of the respirator selection criteria and were first developed in the mid-1970's by NIOSH. The Documentation for Immediately Dangerous to Life or Health Concentrations (IDLHs) is a compilation of the rationale and sources of information used by NIOSH during the original determination of 387 IDLHs and their subsequent review and revision in 1994.
5. OSHA considers "Lead" to mean metallic lead, all inorganic lead compounds (lead oxides and lead salts), and a class of organic compounds called soaps; all other lead compounds are excluded from this definition. The OSHA PEL and other OSHA requirements can be found in 29 CFR 1910.1025. The OSHA PEL (8-hour TWA) for lead in "non-ferrous foundries with less than 20 employees" is 0.075 mg/m³.
6. NIOSH considers "Lead" to mean metallic lead, lead oxides, and lead salts (including organic salts such as lead soaps but excluding lead arsenate). The NIOSH REL for lead (10-hour TWA) is 0.05 mg/m³; air concentrations should be maintained so that worker blood lead remains less than 0.060 mg Pb/100 g of whole blood.
7. LFC – Lowest Feasible Concentration. Refer to Section 11, Toxicological Information.

8(b) Appropriate Engineering Controls: Use controls as appropriate to minimize exposure to metal fumes and dusts during handling operations. Provide general or local exhaust ventilation systems to minimize airborne concentrations. Local exhaust is necessary for use in enclosed or confined spaces. Provide sufficient general/local exhaust ventilation in pattern/volume to control inhalation exposures below current exposure limits.

8(c) Individual Protection Measures:

- **Respiratory Protection:** Seek professional advice prior to respirator selection and use. Follow OSHA respirator regulations (29 CFR 1910.134) and, if necessary, use only a NIOSH-approved respirator. Select respirator based on its suitability to provide adequate worker protection for given working conditions, level of airborne contamination, and presence of sufficient oxygen. Concentration in air of the various contaminants determines the extent of respiratory protection needed. Half-face, negative-pressure, air-purifying respirator equipped with P100 filter is acceptable for concentrations up to 10 times the exposure limit. Full-face, negative-pressure, air-purifying respirator equipped with P100 filter is acceptable for concentrations up to 50 times the exposure limit. Protection by air-purifying negative-pressure and powered air respirators is limited. Use a positive-pressure-demand, full-face, supplied air respirator or self-contained breathing apparatus (SCBA) for concentrations above 50 times the exposure limit. If exposure is above the IDLH (Immediately dangerous to life or health) for any of the constituents, or there is a possibility of an uncontrolled release or exposure levels are unknown, then use a positive-demand, full-face, supplied air respirator with escape bottle or SCBA.

Warning! Air-purifying respirators both negative-pressure, and powered-air do not protect workers in oxygen-deficient atmospheres.

- **Eyes:** Wear appropriate eye protection to prevent eye contact. For operations which result in elevating the temperature of the product to or above its melting point or result in the generation of airborne particulates, use safety glasses to prevent eye contact. Contact lenses should not be worn where industrial exposures to this material are likely. Use safety glasses or goggles as required for welding, burning, sawing, brazing, grinding or machining operations.
- **Skin:** Wear appropriate personal protective clothing to prevent skin contact. Cut resistant gloves and sleeves should be worn when working with steel products. For operations which result in elevating the temperature of the product to or above its melting point or result in the generation of airborne particulates, use protective clothing, and gloves to prevent skin contact. Protective gloves should be worn as required for welding, burning or handling operations. Contaminated work clothing must not be allowed out of the workplace.
- **Other protective equipment:** An eyewash fountain and deluge shower should be readily available in the work area.

Section 9 - Physical and Chemical Properties

9(a) Appearance (physical state, color, etc.): Depends upon scrap composition, most often appears as a gray metal

9(b) Odor: Odorless

9(c) Odor Threshold: NA

9(d) pH: NA

9(e) Melting Point/Freezing Point: 450°F (230°C)

9(f) Initial Boiling Point and Boiling Range: 4500°F (2500°C)

9(g) Flash Point: NA

9(j) Upper/lower Flammability or Explosive Limits: NA

9(k) Vapor Pressure: ND

9(l) Vapor Density (Air = 1): NA

9(m) Relative Density: 7 SG

9(n) Solubility(ies): Water Insoluble

9(o) Partition Coefficient n-octanol/water: ND

9(p) Auto-ignition Temperature: NA

Section 9 - Physical and Chemical Properties (continued)

9(h) Evaporation Rate: NA

9(q) Decomposition Temperature: ND

9(i) Flammability (solid, gas): Non-flammable, non-combustible

9(r) Viscosity: NA

NA - Not Applicable

ND - Not Determined for product as a whole

Section 10 - Stability and Reactivity

10(a) Reactivity: Not Determined (ND) for product in a solid form. Do not use water on molten metal.

10(b) Chemical Stability: Steel products are stable under normal storage and handling conditions.

10(c) Possibility of hazardous reaction: None Known





10(d) Conditions to Avoid: Storage with strong acids or calcium hypochlorite.

10(e) Incompatible Materials: Will react with strong acids to form hydrogen. Iron oxide dusts in contact with calcium hypochlorite evolve oxygen and may cause an explosion.

10(f) Hazardous Decomposition Products: Thermal oxidative decomposition of steel products can produce fumes containing oxides of iron and manganese as well as other alloying elements.

Section 11 - Toxicological Information

11 Information on toxicological effects: Tin Scrap as sold/shipped in its physical form does not present an inhalation, ingestion or contact hazard, nor would any of the following exposure data apply. However, operations such as burning, welding (high temperature), sawing, brazing, machining, grinding, etc may produce fumes and/or particulates. The following exposure limits are offered as reference for an experienced industrial hygienist to review:

Hazard Classification	Hazard Category		Hazard Symbols	Signal Word	Hazard Statement
	EU	OSHA			
Germ Cell Mutagenicity (covers Categories 1A, 1B & 2)	NA*	2 ^c		Warning	Suspected of causing genetic defects.
Carcinogenicity (covers Categories 1A, 1B and 2)	NA*	1A ^s		Warning	May cause cancer.
Toxic Reproduction (covers Categories 1A, 1B and 2)	NA*	1 ^h		Danger	May damage fertility or the unborn child.
STOT following Repeated Exposure (covers Categories 1 and 2)	NA*	1 ^j		Danger	Causes damage to lungs and central nervous system through prolonged or repeated inhalation exposure.

* Not Applicable - Semi-formed steel products are considered articles under Reach regulation (REACH REGULATION (EC) No 1907/2006) and are not subject to classification under CLP regulation (REGULATION (EC) No 1272/2008).

Toxicological data listed below are presented regardless to classification criteria. Individual hazard classification categories where the toxicological information has met or exceeded a classification criteria threshold are listed above.

a. No LC₅₀ or LD₅₀ has been established for **Tin Scrap**. The following data has been determined for the components:

- **Copper:** Rat LD₅₀ = 481 mg/kg (REACH)
Rat LD₅₀ > 2500 mg/kg (REACH)
- **Arsenic:** LD₅₀ = 145 mg/kg (Oral/ Mouse)
LD₅₀ = 763 mg/kg (Oral/ Rat)
TD₁₀ = 7857 mg/kg (Oral/ Man)
- **Cadmium:** Rat LD₅₀ = 2330 mg/kg
Mouse LD₅₀ = 890 mg/kg, Rat LC₅₀ = 4.3 mg/m³
Rabbit LC₅₀ > 4.3 mg/m³, Rabbit LC₅₀ > 22.4 mg/m³
Rat LC₅₀ > 4.5 mg/m³, Rat LC₅₀ > 132 mg/m³ (ECHA)
- **Lead Oxide:** Rat LD₅₀ > 2000 mg/kg (REACH) (Oral), Rat LC₅₀ > 5.05 mg/L (REACH) No data (IUCLID)(Inhalation)

b. No Skin (Dermal) Irritation data available for **Tin Scrap** as a mixture. The following Skin (Dermal) Irritation information was found for the components:

- **Arsenic:** Reported irritant.

c. No Eye Irritation data available for **Tin Scrap** as a mixture. The following Eye Irritation information was found for the components:

- **Arsenic:** Reported irritant.

d. No Skin (Dermal)/respiratory Sensitization data available for **Tin Scrap** as a mixture or its components.

e. No Respiratory Sensitization data available for **Tin Scrap** as a mixture or its components.

f. No Germ Cell Mutagenicity data available for **Tin Scrap** as a mixture. The following Mutagenicity and Genotoxicity information was found for the components:

- **Cadmium:** The Chromosome aberration study was positive.

Section 11 - Toxicological Information (continued)

11 Information on toxicological effects (continued):

- g. Carcinogenicity: IARC, NTP, and OSHA do not list **Tin Scrap** as carcinogens. The following Carcinogenicity information was found for the components:
- **Cadmium:** Cadmium (dust) and Cadmium Oxide is designated as a carcinogen by OSHA; TLV A2. Carcinogenesis was listed as 1B (in animals). IARC and NTP also designate a human carcinogen.
 - **Arsenic:** NTP-Known, IARC - 1, EPA - Human carcinogen and ACGIH - A1.
 - **Welding Fumes -** IARC Group 2B carcinogen, a mixture that is possibly carcinogenic to humans.
 - **Inorganic Lead Compounds -** IARC 2A, NTP 2
 - **Lead:** NTP-R, IARC - 2B, EPA - Probable human carcinogen and ACGIH - A3.
- h. No Toxic Reproduction data available for **Tin Scrap** as a mixture. The following Toxic Reproductive information was found for the components:
- **Cadmium:** Mouse inhalation NOAEL 1 mg/m³ NO effects on Reproduction. Rat Inhalation NOAEL 1 mg/m³ effects on Sperm morphology and estrous cycle duration. Mouse inhalation Teratology NOAEL 0.05mg/m³ maternal toxicity dyspnea and hypoactivity reduced pregnancy rate. NOAEL 0.5 mg/m³ Developmental toxicity increased resorptions and ossification ribs.
 - **Lead:** Male rats oral 60 day NOEL 250 mg/L. Effects on testes (lowest dose). Mouse Reproduction study effects at 0.5% only dose tested. Rat Teratology study LOEL 0.05% Birth weight, size and effects on testis. Reproductive, endocrine and growth effects have been reported.
 - **Lead Oxide:** Developmental tox study in rats Inhalation. Lead levels in blood indicative of lead poisoning.
- i. No Specific Target Organ Toxicity (STOT) following a Single Exposure data available for **Tin Scrap** as a mixture or its components.
- j. No Specific Target Organ Toxicity (STOT) following Repeated Exposure data was available for **Tin Scrap** as a whole. The following STOT following Repeated Exposure data was found for the components:
- **Tin and Tin Oxide:** CICAD has found Occupational exposures to tin can cause a benign pneumoconiosis termed 'stannosis'.
 - **Copper:** Target organs affected - Skin, eyes liver, kidneys and respiratory tract.
 - **Lead:** Rat Oral 6 mo NOEL 0.0015 mg/kg CNS Testes and Kidney Effects. Rat inhalation – immunosuppression, Dermal – percutaneous absorption
 - **Lead Oxide:** Lead effect include CNS, Reproduction Development.

The above toxicity information was determined from available scientific sources to illustrate the prevailing posture of the scientific community. The scientific resources includes: The American Conference of Governmental Industrial Hygienist (ACGIH) Documentation of the Threshold Limit Values (TLVs) and Biological Exposure indices (BEIs) with Other Worldwide Occupational Exposure Values 2017, The International Agency for Research on Cancer (IARC), The National Toxicology Program (NTP) updated documentation, the World Health Organization (WHO) and other available resources, the International Uniform Chemical Information Database (IUCSID), European Union Risk Assessment Report (EU-RAR), Concise International Chemical Assessment Documents (CICAD), European Union Scientific Committee for Occupational Exposure Limits (EU-SCOEL), Agency for Toxic Substances and Disease Registry (ATSDR), Hazardous Substance Data Bank (HSDB), and International Programme on Chemical Safety (IPCS).

The following health hazard information is provided regardless to classification criteria and is based on the individual component(s) and potential resultant components from further processing:

Acute Effects:

- **Inhalation:** Excessive exposure to high concentrations of metal dust may cause irritation to the eyes, skin and mucous membranes of the upper respiratory tract.
- **Eye:** Excessive exposure to high concentrations of metal dust may cause irritation to the eyes.
- **Skin:** Skin contact with metal dusts may cause irritation or sensitization, possibly leading to dermatitis. Skin contact with metallic fumes and dusts may cause physical abrasion.
- **Ingestion:** Ingestion of harmful amounts of this product as distributed is unlikely due to its solid insoluble form. Ingestion of metal dust may cause nausea or vomiting.

Acute Effects by component:

- **Tin:** Not Reported/ Not Classified
- **Lead and lead oxides:** Acute exposure to lead can be manifested as abdominal pain, nausea, constipation, anorexia, or vomiting; and, in severe cases coma or death.
- **Antimony:** Not Reported/ Not Classified
- **Copper and copper oxides:** Copper may cause allergic skin reaction. Copper oxide is harmful if swallowed, causes skin and eye irritation, and may cause an allergic skin reaction.
- **Silver:** Not Reported/ Not Classified
- **Arsenic:** Eye irritation has been reported in workers exposed to arsenic containing dusts.
- **Cadmium:** Cadmium may be fatal if inhaled. Inhalation of fumes may cause metal fume fever which results in flu-like symptoms (chills, fever, and muscle pain) in addition, cadmium can damage the lungs.

Delayed (chronic) Effects by component:

- **Tin:** No systemic effects have been reported from industrial exposure to tin. Occupational exposures to tin can cause a benign pneumoconiosis termed 'stannosis'. No cases of massive fibrosis from over-exposure to tin have been reported.
- **Lead and lead oxides:** Lead compounds can be toxic when ingested or inhaled. Lead is a cumulative poison. The predominant effects of excessive exposure are anemia, nervous system disorders, and kidney damage. Nervous system disorders may be displayed as irritability, headaches, insomnia, convulsions, muscular tremors, or palsy of the extremities. Excessive exposure can have adverse effects on human reproduction. Lead interferes with normal function of the adult and developing central nervous system in humans. Lead interferes with different enzyme systems. For this reason many organs or organ systems are potential targets for lead. Lead can damage fertility or the unborn child.
- **Antimony:** Not Reported/ Not Classified

Section 11 - Toxicological Information (continued)

Delayed (chronic) Effects by component: (continued)

- **Copper and copper oxides:** Inhalation of high concentrations of freshly formed oxide fumes and dusts of copper can cause metal fume fever. Chronic inhalation of copper dust has caused, in animals, hemolysis of the red blood cells, deposition of hemofuscin in the liver and pancreas, injury to lung cells and gastrointestinal symptoms.
- **Silver** Long-continued use of silver and silver powders can lead to a form of poisoning known as ARGYRIA.
- **Arsenic:** Known Human Carcinogen (skin cancer). Multiple organ tumors observed after inhalation and drinking water exposures.
- **Cadmium:** Cadmium has been cited in human workers to have caused renal tubular dysfunction accompanied with proteinuria. In addition, there are reports of hypertension, and effects on the respiratory tract, chronic bronchitis, liver, prostate and blood with prolonged exposure and repeat inhalation.

Section 12 - Ecological Information

12(a) Ecotoxicity (aquatic & terrestrial): No Data Available for **Tin Scrap** as sold/shipped. However, individual components of the product when processed have been found to be toxic to the environment. Metal dusts may migrate into soil and groundwater and be ingested by wildlife as follows:

- **Cadmium:** EU RAR lists as Category 1 Very toxic to aquatic life with long lasting effects.

12(b) Persistence & Degradability: No Data Available for **Tin Scrap** as sold/shipped or individual components.

12(c) Bioaccumulative Potential: No Data Available for **Tin Scrap** as sold/shipped or individual components.

12(d) Mobility (in soil): No data available for **Tin Scrap** as sold/shipped. However, individual components of the product have been found to be absorbed by plants from soil.

12(e) Other adverse effects: None Known

Additional Information:

Hazard Category: Category 1

Signal Word: Warning

Hazard Symbol:



Hazard Statement: Very Toxic to aquatic life with long lasting effects.

Section 13 - Disposal Considerations

Disposal: Steel scrap should be recycled whenever possible. Product dusts and fumes from processing operations should also be recycled, or classified by a competent environmental professional and disposed of in accordance with applicable federal, state or local regulations.

Container Cleaning and Disposal: Follow applicable federal, state and local regulations. Observe safe handling precautions. European Waste Catalogue (EWC): 16-01-17 (ferrous metals), 12-01-99 (wastes not otherwise specified), 16-03-04 (off specification batches and unused products), or 15-01-04 (metallic packaging).

Please note this information is for **Tin Scrap** in its original form. Any alterations can void this information.

Section 14 - Transport Information

14 (a-g) Transportation Information:

US Department of Transportation (DOT) under 49 CFR 172.101 **does not** regulate **Tin Scrap** as a hazardous material. All federal, state, and local laws and regulations that apply to the transport of this type of material must be adhered to.

Shipping Name: Not Applicable (NA) Shipping Symbols: NA Hazard Class: NA UN No.: NA Packing Group: NA DOT/IMO Label: NA Special Provisions (172.102): NA	Packaging Authorizations a) Exceptions: NA b) Group: NA c) Authorization: NA	Quantity Limitations a) Passenger, Aircraft, or Railcar: NA b) Cargo Aircraft Only: NA Vessel Stowage Requirements a) Vessel Stowage: NA b) Other: NA DOT Reportable Quantities: NA
---	---	--

International Maritime Dangerous Goods (IMDG) and the Regulations Concerning the International Carriage of Dangerous Goods by Rail (RID) classification, packaging and shipping requirements follow the US DOT Hazardous Materials Regulation.

Regulations Concerning the International Carriage of Dangerous Goods by Road (ADR) does not regulate **Tin Scrap** as a hazardous material.

Shipping Name: Not Applicable (NA) Classification Code: NA UN No.: NA Packing Group: NA ADR Label: NA Special Provisions: NA Limited Quantities: NA	Packaging a) Packing Instructions: NA b) Special Packing Provisions: NA c) Mixed Packing Provisions: NA	Portable Tanks & Bulk Containers a) Instructions: NA b) Special Provisions: NA
--	--	---

Section 14 - Transport Information (continued)

International Air Transport Association (IATA) does not regulate Tin Scrap as a hazardous material.

Shipping Name: Not Applicable (NA) Class/Division: NA Hazard Label (s): NA UN No.: NA Packing Group: NA Excepted Quantities (EQ): NA	Passenger & Cargo Aircraft		Cargo Aircraft Only Pkg Inst: NA Max Net Qty/Pkg: NA	Special Provisions: NA ERG Code: NA
	Limited Quantity (EQ)			
	Pkg Inst: NA	Pkg Inst: NA		
	Max Net Qty/Pkg: NA	Max Net Qty/Pkg: NA		

Pkg Inst – Packing Instructions

Max Net Qty/Pkg – Maximum Net Quantity per Package

ERG – Emergency Response Drill Code

Transport Dangerous Goods (TDG) Classification: Tin Scrap does not have a TDG classification.

Section 15 - Regulatory Information

Regulatory Information: *The following listing of regulations relating to a OmniSource Corporation may not be complete and should not be solely relied upon for all regulatory compliance responsibilities.* This product and/or its constituents are subject to the following regulations:

OSHA Regulations: Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-2, Z-3): The product, **Tin Scrap** as a whole is not listed. However, individual components of the product are listed: Refer to Section 8, Exposure Controls and Personal Protection.

EPA Regulations: The product, **Tin Scrap** is not listed as a mixture. However, individual components of the product are listed:

Components	Regulations
Tin	TSCA
Lead	CERCLA, CWA, SARA 313, TSCA, SDWA
Antimony	CERCLA, CWA, SARA 313, TSCA, SDWA
Copper	CERCLA, CWA, SARA 313, TSCA, SDWA
Silver	CERCLA, CWA, SARA 313, TSCA
Arsenic	CERCLA, CWA, SARA 313, TSCA, SDWA
Cadmium	CERCLA, CWA, SARA 313, TSCA, SDWA

SARA 311/312 Potential Hazard Categories: Immediate Acute Health Hazard; Delayed Chronic Health Hazard

Section 313 Supplier Notification: The product, **Tin Scrap** contains the following toxic chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-to-Know Act and 40 CFR part 372:

CAS #	Chemical Name	Percent by Weight
7439-92-1	Lead	40 max
7440-36-0	Antimony	16 max
7440-50-8	Copper	9 max
7440-22-4	Silver	5 max
7440-38-2	Arsenic	1 max
7440-43-9	Cadmium	1 max

Regulations Key:

CAA	Clean Air Act (42 USC Sec. 7412; 40 CFR Part 61 [As of: 8/18/06])
CERCLA	Comprehensive Environmental Response, Compensation and Liability Act (42 USC Secs. 9601(14), 9603(a); 40 CFR Sec. 302.4, Table 302.4, Table 302.4 and App. A)
CWA	Clean Water Act (33 USC Secs. 1311; 1314(b), (c), (e), (g); 136(b), (c); 137(b), (c) [as of 8/2/06])
RCRA	Resource Conservation Recovery Act (42 USC Sec. 6921; 40 CFR Part 261 App VIII)
SARA	Superfund Amendments and Reauthorization Act of 1986 Title III Section 302 Extremely Hazardous Substances (42 USC Secs. 11023, 13106; 40 CFR sec. 372.65) and Section 313 Toxic Chemicals (42 USC Secs. 11023, 13106; 40 CFR sec. 372.65 [as of 6/30/05])
TSCA	Toxic Substance Control Act (15 U.S.C. s/s 2601 et seq. [1976])
SDWA	Safe Drinking Water Act (42 U.S.C. s/s 300f et seq. [1974])

State Regulations: The product, **Tin Scrap** as a mixture is not listed in any state regulations. However, individual components of the product are listed in various state regulations:

Pennsylvania Right to Know: Contains regulated material in the following categories:

- Hazardous Substances: Tin, Lead, Antimony, Copper, Silver, Arsenic, Cadmium
- Environmental Hazards: Lead, Antimony, Copper, Silver, Arsenic, Cadmium
- Special Hazardous Substance: Arsenic

California Prop. 65: Contains elements known to the State of California to cause cancer or reproductive toxicity. This includes Lead, Arsenic and Cadmium.

New Jersey: Contains regulated material in the following categories:

- Hazardous Substance: Tin, Lead, Antimony, Copper, Silver, Arsenic, Cadmium
- Environmental Hazard: Lead, Antimony, Copper, Silver, Arsenic
- Special Hazardous: Lead, Arsenic, Cadmium

Minnesota: Lead, Antimony, Copper, Silver, Arsenic, Cadmium

Massachusetts: Tin, Lead, Antimony, Copper, Silver, Arsenic and Cadmium

Section 15 - Regulatory Information (continued)

Other Regulations:
WHMIS Classification (Canadian): The product, **Tin Scrap** is not listed as a mixture. However individual components are listed.

Ingredients	WHMIS Classification
Lead	Carcinogenicity - Category 2; Reproductive toxicity - Category 1; Toxic to the reproductive function Toxic to the development Specific target organ toxicity - repeated exposure - Category 1
Copper	Combustible Dusts - Category 1
Arsenic	Carcinogenicity - Category 1A
Cadmium	Acute toxicity - inhalation - Category 1; Germ cell mutagenicity - Category 2; Carcinogenicity - Category 1A; Reproductive toxicity - Category 2; Combustible dusts Toxic to the reproductive function - Toxic to the development, Specific target organ toxicity - repeated exposure - Category 1

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

Section 16 - Other Information

Prepared By: OmniSource Corporation

Revision History:

 06/13/2018 - update to comply w/ OSHA 2012 GHS & Canada WHMIS 2015 GHS
 03/21/2013 - ANSI format to OSHA GHS
 11/09/7011 - regulatory update
 1/26/2010 - regulatory update

Expiration Date: 06/13/2021

 8/07/2008 - regulatory update
 10/06/2005 - regulatory update
 7/19/2002 - regulatory update
 7/08/1998 - Original


Hazardous Material Identification System (HMIS) Classification

Health Hazard	1
Fire Hazard	0
Physical Hazard	0

HEALTH= 1, Denotes possible chronic hazard if airborne dusts or fumes are generated Irritation or minor reversible injury possible.

FIRE= 0, Materials that will not burn.

PHYSICAL HAZARD= 0, Materials that are normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives.

National Fire Protection Association (NFPA)


HEALTH = 1, Exposure could cause irritation but only minor residual injury even if no treatment is given.

FLAMMABILITY = 0, Materials that will not burn.

INSTABILITY = 0, Normally stable, even under fire exposure conditions, and are not reactive with water.

ABBREVIATIONS/ACRONYMS:

ACGIH	American Conference of Governmental Industrial Hygienists
BEIs	Biological Exposure Indices
CAS	Chemical Abstracts Service
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
CFR	Code of Federal Regulations
CNS	Central Nervous System
GI, GIT	Gastro-Intestinal, Gastro-Intestinal Tract
HMIS	Hazardous Materials Identification System
IARC	International Agency for Research on Cancer
LC50	Median Lethal Concentration
LD50	Median Lethal Dose
LD_{Lo}	Lowest Dose to have killed animals or humans
LEL	Lower Explosive Limit
LOEL	Lowest Observed Effect Level
LOAEC	Lowest Observable Adverse Effect Concentration
µg/m³	microgram per cubic meter of air
mg/m³	milligram per cubic meter of air
mppcf	million particles per cubic foot
MSHA	Mine Safety and Health Administration
NFPA	National Fire Protection Association

NIF	No Information Found
NIOSH	National Institute for Occupational Safety and Health
NTP	National Toxicology Program
ORC	Organization Resources Counselors
OSHA	Occupational Safety and Health Administration
PEL	Permissible Exposure Limit
PNOR	Particulate Not Otherwise Regulated
PNOC	Particulate Not Otherwise Classified
PPE	Personal Protective Equipment
ppm	parts per million
RCRA	Resource Conservation and Recovery Act
RTECS	Registry of Toxic Effects of Chemical Substances
SARA	Superfund Amendment and Reauthorization Act
SCBA	Self-contained Breathing Apparatus
SDS	Safety Data Sheet
STEL	Short-term Exposure Limit
TLV	Threshold Limit Value
TWA	Time-weighted Average
UEL	Upper Explosive Limit

Disclaimer: This information is taken from sources or based upon data believed to be reliable. However, OmniSource, Inc. makes no warranty as to the absolute correctness or sufficiency of any of the foregoing or that additional or other measures may not be required under particular conditions.